

Catalogue of Indices and Definitions of El Niño and La Niña in Operational Use by WMO Members

**WMO Commission for Climatology
CCI-XIII (2005) Expert Team on El Niño and La Niña Definitions
Fiona Horsfall, Ph.D., Chair**



WORLD METEOROLOGICAL ORGANIZATION

June 2006

The World Climate Programme (WCP) implemented by WMO in conjunction with other international organizations consists of four major components:

The World Climate Data and Monitoring Programme (WCDMP)

The World Climate Applications and Services Programme (WCASP)

The World Climate Impact Assessment and Response Strategies Programme (WCIRP)

The World Climate Research Programme (WCRP)

World Meteorological Organization

7 bis, avenue de la Paix

Case Postale N° 2300

CH-1211 Geneva 2

Switzerland

Telephone: (022) 730 81 11

Telefax: (022) 734 23 26

Telex: 41 41 99 OMM CH

NOTE

The designations employed and the presentation of material in this publication do not imply the expression of an opinion whatsoever on the part of the Secretariat of the World Meteorological Organization concerning the legal status of any country, territory, city or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Editorial note: It should be noted that this Report is not an official WMO Publication, and has not been subjected to the Organization's standard editorial procedures. The views expressed by individuals or groups of experts, and published in a WMO Technical Document, do not necessarily have the endorsement of the Organization.

Table of Contents

Introduction	5
Indices and Definitions of El Niño and La Niña in Operational Use by WMO	
Members	7
Antigua and Barbuda	7
Argentina	8
Australia	9
Austria	10
Bahamas	11
Bangladesh	12
Barbados	13
Belize	14
Brazil	15
British Caribbean Territories (including Cayman Islands)	16
Canada	17
Chile	18
China	19
Columbia	20
Costa Rica	21
Croatia	22
Cuba	23
Denmark (including Faroe Islands, Greenland and surrounding waters)	24
Dominica	25
Dominican Republic	26
Ecuador	27
El Salvador	28
Fiji	29
Guatemala	30
Haiti	31
Honduras	32
Hungary	33
India	34
Jamaica	36
Japan	37
Latvia	38
Macao, China	39
Maldives	40
Mauritius	41
Mexico	42
Netherlands Antilles and Aruba	43
New Caledonia	44
New Zealand	45
Nicaragua	46
Panama	47

Paraguay	48
Peru	49
Philippines	51
Russian Federation	52
Saint Lucia	53
Singapore	54
Slovakia	55
Sudan	56
Sweden	57
Thailand	58
Trinidad and Tobago	59
Tunisia	60
Turkey	61
United Kingdom of Great Britain and Northern Ireland	62
United States of America	63
Uruguay	64
Venezuela	65
Acknowledgments	66
Appendix I: Team Members	67
Appendix II: Niño Regions	70
Appendix III: Selected Resources	70

Introduction

El Niño and La Niña mean different things to different countries, primarily due to the impacts each Member State experiences as a result of changes in the ocean and atmosphere originating in the tropical Pacific and subsequently extending to other parts of the world. In an historical context, El Niño was first referred to as the seasonal appearance of a current of warmer than usual water off the Peruvian coast, identified by local fisherman as the "El Niño current." This warm water generally occurs around Christmas, hence the name El Niño, or little boy, referring to the Christ Child. Every 2-7 years, a much larger anomaly (both in space and time) appears, and indeed the people of the west coast of South America experience significant impacts as a result of the warmer water, such as changes that affect the fishing industry and changes to local weather. El Niño sea surface warming is typically followed by either near-average sea surface temperatures (SST) or colder than average SSTs (La Niña, or little girl, also known as El Viejo, Anti-Niño, or anti El Niño).

El Niño and La Niña events have now been clearly identified as perturbations of the ocean-atmosphere system. In addition to changes in SSTs, there are typically changes in the strength and direction of the Trade winds. These changes are represented by the Southern Oscillation Index (SOI), which is defined as the normalized difference in surface pressure between Tahiti, French Polynesia, and Darwin, Australia (i.e. the sea-level pressure anomaly at Tahiti minus the sea-level pressure anomaly at Darwin, divided by the standard deviation of that quantity), and is a measure of the strength of the Trade winds. As El Niño and the Southern Oscillation are related, the two phrases are often combined as ENSO (El Niño-Southern Oscillation). An ENSO warm phase refers to an El Niño event, and an ENSO cold phase refers to a La Niña event.

Across the equatorial Pacific, according to the World Meteorological Organization (2003), during an El Niño event the easterly Trade winds weaken and the focus of convection and rainfall shifts eastward. In contrast, during a La Niña event, the Trade winds strengthen and convection is enhanced over the western part of the equatorial Pacific basin, in Asia and near Indonesia. These displacements of the atmospheric heat source overlaying the warmest water result in large changes in the global atmospheric circulation, which in turn force changes in weather in regions far removed from the tropical Pacific. The three phases of the El Niño-Southern Oscillation are shown in graphic form in WMO 2003 (section 2.15) and at the NOAA Pacific Marine Environmental Laboratory web page on El Niño at:

http://www.pmel.noaa.gov/tao/elnino/nino_normal.html

As a result of such atmospheric perturbations associated with ENSO events, various impacts are felt at different locations around the globe, and these regional impacts are dependent on the location, degree, and timing of the onset of the anomalous SSTs, and the intensity of the atmospheric response. Scientists, forecasters, policy-makers, decision-makers, the media, and many others in the international community often refer to El Niño (La Niña), but it is apparent that the major commonality in their references is anomalous warming (cooling) in the surface waters of the tropical Pacific.

Because of the potential confusion associated with the differing definitions in existence, a request was made at EC-LVI (2004) for the World Climate Programme (WCP) and the Commission for Climatology (CCI) to address the issue of El Niño and La Niña definitions. At the CCI Management Group Meeting in February 2005, the Expert Team (ET) on El Niño and La Niña Definitions was established under OPAG 2 (Monitoring and Analysis of Climate Variability and Change). The ET had international membership and was led by a representative from the United States, Dr Fiona Horsfall. Membership is listed in Appendix I. The Terms of Reference for the Team included the preparation of a catalogue of El Niño and La Niña indices and definitions used operationally by the WMO Members. The Team drafted a survey that was distributed by WMO to Members' Permanent Representatives requesting specific information on their use of indices and definitions of El Niño and La Niña. Responses to the survey were collected by WMO and forwarded to the ET for development of this catalogue.

This catalogue is intended to be used as a reference for stakeholders to clarify ambiguities surrounding discussions of El Niño and La Niña, and thus reduce the chance of misinterpretation of information relating to these events. It will facilitate discussion and action on regional cooperation prior to issuance of press releases, alerts and public communiqués.

Anticipated users of this catalogue include anyone interested in the occurrence of and impacts related to El Niño and La Niña events. Specifically, users include Member governments, their agencies and in particular their National Meteorological and Hydrological Services (NMHS), media, emergency managers, climate scientists, weather forecasters, hydrologists, academia, water managers, and a broad array of decision makers at international, national, regional, and local levels.

This catalogue contains a listing for each Member that responded to the survey. Some Members responded stating that they do not have indices and definitions for operational use, and that information is also included in this document. In addition, Members of Regional Association IV, which adopted a consensus definition at their 14th Session in Costa Rica in April 2005, have been included.

As this document frequently refers to the Niño regions, a graphic depicting them can be found in Appendix II. A list of selected resources with information on El Niño and La Niña can be found in Appendix III.

Indices and Definitions of El Niño and La Niña in Operational Use by WMO Members

Antigua and Barbuda

1. Contact information

Patrick Jeremiah
Director
Permanent Representative of Antigua and Barbuda with WMO
Meteorological Service
P.O. Box 1051
St. John's
Tel: +1268 4624606
Fax: +1268 462 4606
Email: pjeremiah@angiguamet.gov.ag; metoff@candw.ag

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Argentina

1. Contact information

María de los Milagros Skansi

mms@meteofa.mil.ar

Olver Federico Boolsen

boolsen@meteofa.mil.ar

Carlos Alberto Villanueva

cavi@meteofa.mil.ar

Servicio Meteorológico Nacional-Fuerza Aérea Argentina

25 de mayo 658.

Buenos Aires

Argentina

Tel: 5167-6767

2. Official name of Indices and Definitions

N/A

3. Other Countries or territories with shared indices and definitions

Members of Regional Association III.

4. Index (indices) in use operationally

Argentina uses the indices determined by the US National Oceanic and Atmospheric Administration's (NOAA) Climate Prediction Center (the 3-month average sea surface temperature anomalies in the Niño3.4 region – ONI, Oceanic Niño Index) and the index proposed by the Japan Meteorological Agency (the 5-month average sea surface temperature anomalies in the region bound by 150°W-90°W, 4°N-4°S,). For an atmospheric indicator, we use the Southern Oscillation Index (SOI).

5. Definition of El Niño in use operationally

An oceanic-atmospheric interaction phenomenon characterized by the appearance of unusually high ocean surface temperatures in the central equatorial Pacific Ocean. We consider the 3-month average in the Niño3.4 region greater than or equal in magnitude to 0.5°C and a negative SOI.

6. Definition of La Niña in use operationally

An oceanic-atmospheric interaction phenomenon characterized by the appearance of unusually low ocean surface temperatures in the central equatorial Pacific Ocean. We consider the 3-month average in the Niño3.4 region less than or equal in magnitude to 0.5°C and a positive SOI.

Australia

1. Contact information

Dr Geoff Love
 Director of the Bureau of Meteorology
 Permanent Representative of Australia with WMO
 Bureau of Meteorology
 GPO Box 1289, Melbourne, Vic 3001
 Tel: +61 3 9669 4217
 Fax: +61 3 9669 4548
 E-mail: g.love@bom.gov.au

2. Official name of Indices and Definitions

- Troup Southern Oscillation Index (SOI)
- Niño1, 2, 3, 3.4, and 4 Sea Surface Temperature (SST) indices
- Multivariate ENSO (El Niño-Southern Oscillation) index (MEI)

3. Other Countries or territories with shared indices and definitions

These indices are used by multiple countries and territories.

4. Index (indices) in use operationally

- Troup Southern Oscillation Index (SOI) - The standardized anomaly of the Mean Sea Level Pressure difference between Tahiti and Darwin.
- Niño1, 2, 3, 3.4, and 4 Sea Surface Temperature (SST) indices.
- Multivariate ENSO index (MEI) - A weighted average of the main ENSO features contained in six variables: sea-level pressure, the east-west and north-south components of the surface wind, SST, surface air temperature, and total amount of cloudiness.

5. Definition of El Niño in use operationally

At present the Bureau of Meteorology does not employ formal definitions to trigger declarations of events at either end of the El Niño – La Niña cycle, but rather uses various indices as assessment tools. The assessment of El Niño/La Niña status is conducted within a scientific yet largely subjective framework and encompasses at least one formal meeting (The Monthly Climate Meeting) per month of operational and scientific staff to discuss the full range of analysis of the atmospheric and ocean state. This includes examination of the indices listed above, as well as proxy indicators such as trade winds, high cloud amount/outgoing longwave radiation, ocean subsurface temperatures, sea surface temperature distribution and model outputs. This assessment is used to develop the text for the Bureau's “ENSO wrap-up” discussion, updated weekly in times of El Niño development, and publicly available on the web (<http://www.bom.gov.au/climate/enso>).

6. Definition of La Niña in use operationally

See above.

Austria

1. Contact information

Prof. Dr F. Neuwirth
Director
Permanent Representative of Austria with WMO
Central Institute for Meteorology and Geodynamics
Postfach 342
Hohe Warte 38
A-1191 Wien
Email: fritz.neuwirth@zamg.ac.at

2. Official name of Indices and Definitions

No indices or definitions for El Niño and La Niña in use.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

N/A

5. Definition of El Niño in use operationally

N/A

6. Definition of La Niña in use operationally

N/A

Bahamas

1. Contact information

Mr Arthur W. Rolle
Director of Meteorology
Permanent Representative of the Bahamas with WMO
Department of Meteorology
P.O. Box N-8330
Seaban House
Crawford Street
Nassau, NP
Tel: +1242 356 3726
Fax: +1242 356 3739
Email: awr.met@batelnet.bs

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Bangladesh

1. Contact information

Director

Bangladesh Meteorological Department

Agargaon, DHAKA-1207

Bangladesh

e-mail: bmd@accesstel.net, bmdswc@directorbdonline.com; bmddhaka@directorbtb.net.bd

2. Official name of Indices and Definitions

SOI (Southern Oscillation Index) and Definition of El Niño & La Niña.

3. Other Countries or territories with shared indices and definitions

India Meteorological Department (IMD) and Bureau of Meteorology (BoM) –
Australia.

4. Index (indices) in use operationally

Highly positive SOI (≥ 5) and highly negative SOI (≤ -5) contribute excess and deficit rainfall respectively in monsoon.

5. Definition of El Niño in use operationally

SOI ≥ 5 for consecutive three months.

6. Definition of La Niña in use operationally

SOI ≤ -5 for consecutive three months.

Barbados

1. Contact information

Mr Chester R. Layne
Director
Meteorological Services
Grantley Adams International Airport
Seawell
CHRIST CHURCH
Barbados
Tel: +1246 4280910
Fax: +1246 4281676
Email: dirmet@sunbeach.net; meteorology@agriculture.gov.bb

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Belize

1. Contact information

Mr Carlos Fuller
Director
National Meteorological Service
Permanent Representative of Belize with WMO
Philip Goldson International Airport
PO Box 717
BELIZE CITY
Belize
Tel: +501 225 2012
Fax: +501 225 2101
E-mail: cfuller@hydromet.gov.bz; ozone@btl.net

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Brazil

1. Contact information

Dr Antonio Divino Moura
Permanent Representative of Brazil with WMO
Instituto Nacional de Meteorologica (INMET)
Eixo Monumental – Via S1
70610-400 BRASILIA, D.F.
Brazil
Tel: +55 61 33 44 3333
Fax: +55 61 33 44 0700
E-mail: diretor@inmet.gov.br

2. Official name of Indices and Definitions

Southern Oscillation Index (SOI) and Definitions of El Niño and La Niña in region Niño3.4 and spatial distribution of sea surface temperature (SST) near Peruvian coast.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association III.

4. Index (indices) in use operationally

SOI as calculated from the monthly or seasonal fluctuations in the air pressure difference between Tahiti and Darwin.

5. Definition of El Niño in use operationally

A phenomenon that takes place in the Equatorial Pacific Ocean, characterized by a positive sea surface temperature anomaly (as compared to the 1971-2000 SST mean), in excess of 0.5°C, averaged over three consecutive months in the Niño3.4 Region.

6. Definition of La Niña in use operationally

A phenomenon that takes place in the Equatorial Pacific Ocean, characterized by a negative sea surface temperature anomaly (related to the 1971-2000 mean), greater than or equal in magnitude to 0.5°C, averaged over three consecutive months in the Niño3.4 Region.

British Caribbean Territories (including Cayman Islands)

1. Contact information

Mr Tyrone W. Sutherland
Caribbean Meteorological Organization
Permanent Representative of British Caribbean Territories with WMO
69-71 Edward St
P.O. Box 461
Port of Spain
TRINIDAD
Tel: +1868 6244481
Fax: +1868 6233634
Email: suthcmo@tstt.net.tt; hqcmo@tstt.net.tt

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Canada

1. Contact information

Amir Shabbar
Climate Data and Analysis Section, Climate Research Division
Science and Technology Branch
Environment Canada
4905 Dufferin Street
TORONTO, ONTARIO
Canada M3H 5T4
Tel: +1416 739 4435
Fax: +1416 739 5700
Email: Amir.Shabbar@ec.gc.ca

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Chile

1. Contact information

Mr Hugo Humberto Oliva
Director
Permanent Representative of Chile with WMO
Dirección Meteorológica de Chile
Casilla 63, Aeropuerto Internacional
SANTIAGO
Chile
Tel.: +56 2601 1168
Fax: +56 2601 9590
E-mail: dimetchi@meteochile.cl

2. Official name of Indices and Definitions

Chile uses the same indices and definitions adopted by Regional Association IV, as well as others.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association III, especially the other countries within the Permanent Commission for the South Pacific (CPPS): Colombia, Ecuador, and Peru.

4. Index (indices) in use operationally

- Niño indices (Niño4, Niño3.4, Niño3 and Niño1+2).
- 850 hPa wind anomalies in the equatorial Pacific (160°E-140W and 150°W-160°W).
- Sea level pressure indices at seven Chilean stations between 18°S and 40°S.
- Southern Oscillation Index.
- Circulation patterns over the southeast Pacific and South America between 0°S and 80°S.

5. Definition of El Niño in use operationally

Chile issues El Niño advisories when the positive equatorial Pacific Ocean sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region is greater than or equal in magnitude to 0.5°C, averaged over three consecutive months. An El Niño episode is defined when these criteria are met for five consecutive overlapping seasons.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, occurring for three or more consecutive months.

China

1. Contact information

Dr Fumin Ren
 Climate System Diagnostics and Prediction Division
 Beijing Climate Center, China Meteorological Administration
 Beijing, Haidian, 100081
 Email: fmren@cma.gov.cn

2. Official name of Indices and Definitions

- Niño1+2, Niño3, Niño3.4, and Niño4.
- NiñoZ (Niño1+2+3+4).
- NiñoC (180°W-90°W,0°-10°S).

3. Other Countries or territories with shared indices and definitions

The indices Niño1+2, Niño3, and Niño4 are all widely used around the world.

4. Index (indices) in use operationally

All the Niño indices used in Section 2 above refer to the regional mean sea surface temperature anomalies (SSTA) relative to 1971-2000 averages. China also uses the SSTA of the Niño3 and Niño3.4 regions operationally, but pays more attention to the SSTA in NiñoZ.

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (based on 1971-2000 base period) in the NiñoZ region greater than or equal in magnitude to 0.5°C, for six consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (based on 1971-2000 base period) in the NiñoZ region less than or equal in magnitude to -0.5°C, for six consecutive months.

References:

Li, Xiaoyan and Panmao Zhai, 2000: On Indices and indicators of ENSO Episodes, *Acta Meteorologica Sinica*, 58: 102-109 (In Chinese with English Abstract).

Li, Xiaoyan, Panmao Zhai and Fumin Ren, 2005: Redefining ENSO Episodes Based on Changed Climate References, *J. Tropical Meteorology*, 11: 97-103.

Zhai, Panmao, Li, Xiaoyan, and Fumin Ren, 2003: *El Niño*, Meteorological Press, 180pp (In Chinese).

Colombia

1. Contact information

Maximiliano Henríquez Daza
 Subdirector de Meteorología
 Instituto de Hidrología, Meteorología y Estudios Ambientales – IDEAM
 Carrera 10 No 20 – 30 Piso 6
 BOGOTA
 Colombia
 Tel: +57 1 352 7117
 Fax: +57 1 352 7160 ext 1621
 Email: meteorologia@ideam.gov.co

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña, in addition to the Niño3 index.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

Additionally, Columbia considers sea surface temperature anomalies in the Niño3 region (90°W-150°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months, and/or when the anomalies in the index regions are greater than or equal to one standard deviation above the mean for a period greater than three months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months, and/or when the anomalies in the index regions are less than or equal to one standard deviation below the mean for a period greater than three months.

Costa Rica

1. Contact information

Mr Paulo Manso
Instituto Meteorológico Nacional (IMN)
Permanent Representative of Costa Rica with WMO
Apartado Postal 5583
1000 SAN JOSÉ
Costa Rica
Tel: +506 258 1140
Fax: +506 223 1837
Email: pmanso@imn.ac.cr

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Croatia

1. Contact information

Ivan Čačić
Director
Permanent Representative of Croatia with WMO
Meteorological and Hydrological Service
Grič 3, Hrvatska
10 000 ZAGREB
Croatia
Tel: +385 14565693
Fax:: +385 14851901
E-mail: cacic@cirus.dhz.hr

2. Official name of Indices and Definitions

Croatia does not use El Niño indices operationally, but some research activities have been started to investigate if there is any ENSO (El Niño-Southern Oscillation) impact on Croatian territory. For this study, we are using Niño3 (150°W-90°W, 5°S-5°N) and Niño3.4 (120°W-170°W, 5°N-5°S) indices.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

See Section 2 above.

5. Definition of El Niño in use operationally

El Niño is defined as a positive sea surface temperature departure from ECMWF (European Centre for Medium-Range Weather Forecasts) ERA40, in Niño3 or Niño3.4 region greater or equal in magnitude to 0.5°C (for moderate events), averaged over three consecutive months, and greater or equal to 1 standard deviation for strong events.

6. Definition of La Niña in use operationally

La Niña is defined as a negative sea-surface temperature departure from ECMWF ERA40, in Niño3 or Niño3.4 region greater or equal in magnitude to 0.5°C (for moderate events), averaged over three consecutive months, and greater or equal to 1 standard deviation for strong events.

Cuba

1. Contact information

Dr Tomás Gutiérrez Pérez
Director
Permanent Representative of Cuba with WMO
Instituto de Meteorología
Loma de Casablanca, Regla
Apartado 17032
Código Postal 11700
LA HABANA 17
Cuba
Tel: + 53 7 867 0721
Fax: +53 7 338 010
Email: meteo@ceniai.inf.cu

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Denmark (including Faroe Islands, Greenland and surrounding waters)

1. Contact information

Dr Anne Mette K. Jørgensen
Danish member of the Commission for Atmospheric Sciences
Director, Research and Development Department
Danish Meteorological Institute
Lyngbyvej 100
DK-2100 COPENHAGEN
Denmark
Tel: +45 3915 7450
Email: amj@dmi.dk

2. Official name of Indices and Definitions

None

3. Other Countries or territories with shared indices and definitions

The index and definitions used are the same as those in use in the United States of America.

4. Index (indices) in use operationally

The index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Dominica

1. Contact information

Mr Nathanael Isaac
Senior Meteorological Officer
Permanent Representative of Dominica with WMO
Ministry of Communications, Works and Housing
Government Headquarters
ROSEAU
Dominica
Tel: +1767 448 2401
Fax: +1767 448 4807
Email: metoffice@cwdom.dm

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Dominican Republic

1. Contact information

Ing. Gloria Maria Bienvenida Ceballos Gomez
Permanent Representative of the Dominican Republic with WMO
Oficina Nacional de Meteorología
Ave. Juan Moliné #1 Los Mameyes
Villa Duarte
SANTO DOMINGO, D.N.
Dominican Republic
Tel: +1809 788 1122
Fax: +1809 597 9842
Email: gceballos@onamet.gov.do

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Ecuador

1. Contact information

Dr Ing. Laureano Andrade Chavez
Director Ejecutivo
Permanent Representative of Ecuador with WMO
Instituto Nacional de Meteorología e Hidrología (INAMHI)
Iñaquito 700 (N36-14) y Corea
Casilla Postal 16-310
QUITO
Ecuador
Tel: +593 22 436910
Fax: +593 22 241874
E-Mail: landrade@inamhi.gov.ec; inamhi@inamhi.gov.ec

2. Official name of Indices and Definitions

WMO Regional Association III Index and definitions of El Niño and La Niña

3. Other Countries or territories with shared indices and definitions

Members of Regional Association III, especially Peru.

4. Index (indices) in use operationally

Niño1 (80°W-90°W, 0°S-5°S) and Niño2 (80°W-90°W, 5°S-10°S) three month mean variations in the sea surface temperature.

5. Definition of El Niño in use operationally

The ENSO (El Niño-Southern Oscillation) phenomenon is a perturbation of the coupled ocean-atmosphere system in the tropical Pacific, which has important global atmospheric consequences. El Niño is used to describe the warm phase of an ENSO episode, the oceanic El Niño that transcends the ocean and affects the atmospheric circulation over the equatorial Pacific, due to atmospheric-oceanic interactions inherent in the negative phase of the Southern Oscillation.

6. Definition of La Niña in use operationally

La Niña is defined as the appearance of cold waters in the equatorial Pacific that transcends its oceanic aspect and affects the atmospheric circulation over the equatorial Pacific, due to oceanic-atmospheric interactions during the positive phase of the Southern Oscillation.

El Salvador

1. Contact information

Licenciado Luis Alberto Garcia Guirola
Director del Servicio Meteorológico Nacional
Servicio Nacional de Estudios Territoriales
Ministerio de Medio Ambiente y Recursos Naturales
Apartado postal #27
SAN SALVADOR
El Salvador

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño 3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Fiji

1. Contact information

The Director
Fiji Meteorological Service
Private Mail Bag (NAP 0351)
NADI AIRPORT
Fiji
Tel: +679 672 4888
Fax: +679 6720430
Email: fms@met.gov.fj

2. Official name of Indices and Definitions

Fiji Meteorological Services uses the ICU (Island Climate Update) monthly teleconference organized by the NIWA (New Zealand) with regional experts from Australia, New Caledonia, Fiji, French Polynesia, Hawaiï, IRI, and others, to determine a consensus about the observed and predicted ENSO phase.

3. Other Countries or territories with shared indices and definitions

Most of the Pacific Island countries refer to the ENSO (El Niño-Southern Oscillation) “Wrap Up” for updates which is available on the Bureau of Meteorology (Australia) website.

4. Index (indices) in use operationally

The Southern Oscillation (strength and direction) is measured by a simple index, the Southern Oscillation Index (SOI).

5. Definition of El Niño in use operationally

A sustained warming in excess of 1°C above normal, of the central and eastern tropical Pacific Ocean, typically centered around the Niño3 region. This warming is usually accompanied by negative values of the SOI, and a decrease in the strength of the Pacific Trade Winds.

6. Definition of La Niña in use operationally

A sustained cooling in excess of 1°C below normal, of the central and eastern tropical Pacific Ocean, typically centered around the Niño3 region. This cooling is usually accompanied by positive values of the SOI, and an increase in the strength of the Pacific Trade Winds.

Guatemala

1. Contact information

Ing. Eddy Hardie Sanchez Benett
Director
Instituto Nacional de Sismología, Vulcanología, Meteorología e Hidrología
(INSIVUMEH)
Permanent Representative of Guatemala with WMO
7a Avenida 14-57
Zona 13
Guatemala
Tel: +502 331 5944
Fax: +502 331 5005
Email: esanchez@insivumeh.gob.gt; insivumeh@insivumeh.gob.gt

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Haiti

1. Contact information

Ing. Yvelt Chery
Service National des Ressources en Eau
Ministère de l'Agriculture des
Ressources Naturelles et du Développement Rural (MARNDR)
Damien
B.P. 1441
PORT-AU-PRINCE
Haiti
Tel: +509 298 3010
Fax: +509 298 3014
Email: yveltchery@netscape.net

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Honduras

1. Contact information

Mr Franciso Argeñal
Jefe
Servicio Meteorológico Nacional de Honduras
P.O. Box 30224
TEGUCIGALPA
Honduras
Tel: +504 233 1114
Fax: +504 233 8075
Email: smn@smn.gob.hn

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño 3.4 region; 120°W-170°W, 5°N-5°S). Departures from average sea-surface temperatures in this region result in the greatest impacts (precipitation events and departures from average temperatures) to Honduras.

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Hungary

1. Contact information

Sandor Szalai
Member of CCI of Hungary.
Tel: +36-1-346-46-24
Fax: +36-1-346-46-87
Email: szalai.s@met.hu

2. Official name of Indices and Definitions

The Hungarian Republic does not use any indices and definitions of El Niño operationally.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

See Section 2 above.

5. Definition of El Niño in use operationally

See Section 2 above.

6. Definition of La Niña in use operationally

See Section 2 above.

India

1. Contact information

Mr Sanjiv Nair
 Joint Secretary (Administration)
 Department of Science and Technology
 Permanent Representative of India with WMO
 Technology Bhavan
 New Mehrauli Road
 NEW DELHI - 110 016
 India
 Tel: +91 11 265 16077
 Fax: +91 11 265 15637
 E-mail: wmopr.India@nic.in

2. Official name of Indices and Definitions

No official name is given.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

Analysis of past data suggested that variations of sea surface temperatures (SST) averaged over the Niño3.4 region (120°W-170°W, 5°N-5° S) have the highest statistically significant correlations with rainfall and climate anomalies over India. India Meteorological Department follows the El Niño index based on sea surface temperature (SST) anomalies averaged over the Niño3.4 region. For this analysis of El Niño classification, Extended Reconstructed SST (ERSST) data (prepared by NCEP, USA) of the resolution 10 x 10 Lat/Long are used.

Research groups at Indian Institute of Tropical Meteorology, Pune uses another El Niño index defined as follows:

Transpacific El Niño Index: Difference of SST anomalies over Niño4 (160°E-150°W, 5°N-5°S) and Niño(1+2) (90°W-80°W, 0°-5°S) regions.

5. Definition of El Niño in use operationally

An oceanographic phenomenon in the equatorial Pacific Ocean, characterized by a positive sea surface temperature departure from normal in the Niño3.4 region greater than or equal in magnitude to 0.5°C. The base period for the normal is 1971-2000. To classify as a full-fledged El Niño episode, this threshold must exceed for a period of at least 5 consecutive months.

6. Definition of La Niña in use operationally

An oceanographic phenomenon in the equatorial Pacific Ocean, characterized by a negative sea surface temperature departure from normal in the Niño3.4 region greater than or equal in magnitude to 0.5°C . The base period for the normal is 1971-2000. To classify as a full-fledged La Niña episode, this threshold must exceed for a period of at least 5 consecutive months.

Jamaica

1. Contact information

Mrs Sylvia McGill
Director
National Meteorological Service
Ministry of Transport and Works
Permanent Representative of Jamaica with WMO
65 3/4 Half Way Tree Road
P.O. Box 103
KINGSTON 10
Jamaica
Tel: +1876 960 8990
Fax: +1876 960 8989
Email: metja@infochan.com; met.dir@cw.jamaica.com

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Japan

1. Contact information

Koichi Ishikawa
Senior Coordinator for El Niño Monitoring and Prediction
Climate Prediction Division, Japan Meteorological Agency
1-3-4 Otemachi, Chiyoda-ku, Tokyo
Japan
Email: k-ishikawa@met.kishou.go.jp

2. Official name of Indices and Definitions

El Niño Monitoring Index and El Niño Definition of the Japan Meteorological Agency (JMA).

3. Other Countries or territories with shared indices and definitions

None.

4. Index (indices) in use operationally

El Niño Monitoring Index of JMA is defined as five-month running mean sea surface temperature (SST) deviation from a sliding 30-year mean SST, e.g. 1976-2005 mean for 2006, averaged over Niño3 (5°N-5°S, 150°W-90°W).

5. Definition of El Niño in use operationally

JMA defines El Niño as an oceanic condition where the five-month running mean SST deviation in Niño3 continues +0.5°C or higher for six consecutive months or longer.

6. Definition of La Niña in use operationally

JMA defines La Niña as an oceanic condition where the five-month running mean SST deviation in Niño3 continues -0.5°C or lower for six consecutive months or longer.

Latvia

1. Contact information

Lita Lizuma
Head
Development and Information Department
Latvian Environment, Geology and Meteorology Agency
165, Maskavas St.
RIGA LV-1019
Latvia
Tel: + 371 7032600
Fax: + 371 7145154

2. Official name of Indices and Definitions

Latvia has no official indices and definitions.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

None.

5. Definition of El Niño in use operationally

Definitions from the WMO No.182 are of use generally. The International Meteorological Vocabulary (WMO No. 182) defines El Niño as 'An anomalous warming of the ocean water off the west coast of South America, usually accompanied by heavy rainfall in the coastal region of Peru and Chile.'

6. Definition of La Niña in use operationally

Definitions from the WMO No.182 are of use generally.

Macao, China

1. Contact information

Mr Tong Si Man
Chief of Climate and Atmospheric Environment Centre
Rampa do Observatorio
Taipa Grande
Caixa Postal No 93
MACAU
Tel: + 853 850523
Fax: + 853 850557

2. Official name of Indices and Definitions

N/A

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

N/A

5. Definition of El Niño in use operationally

N/A

6. Definition of La Niña in use operationally

N/A

Maldives

1. Contact information

Abdulla Algeen
Director
Department of Meteorology
Orchid Building
Orchid Magu
MALÉ 20-05
Maldives
Tel: + 960-323302
Fax: + 960 320021
Email: admin@meteorology.gov.mv

2. Official name of Indices and Definitions

Republic of Maldives has no indices or definitions.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

N/A

5. Definition of El Niño in use operationally

N/A

6. Definition of La Niña in use operationally

N/A

Mauritius

1. Contact information

S. Veerasamy for Director
Meteorological Services
St Paul Road
Vacoas
Republic of Mauritius
Tel: + 230 686 1031, + 230 686 1032
Fax: + 230 686 1033
Email: meteo@intnet.mu

2. Official name of Indices and Definitions

There is no index or definitions of El Niño for operational use for the Mauritian region.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

N/A

5. Definition of El Niño in use operationally

N/A

6. Definition of La Niña in use operationally

N/A

Mexico

1. Contact information

Dr. Michel Rosengaus Moshinsky
Jefe de Unidad del Servicio Meteorológico Nacional
Permanent Representative of Mexico with WMO
Av. Observatorio N° 192
Col. Observatorio
Del. Miguel Hidalgo C.P.
Código Postal 11860
México, D.F
Tel: +52 555 626 8650
Fax: +52 555 626 8695
Email: mrosengaus@mailsmn.can.gob.mx

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Netherlands Antilles and Aruba

1. Contact information

A.J. Dania
Director
Meteorological Service Netherlands Antilles & Aruba
Permanent Representative of Netherlands Antilles and Aruba with WMO
Seru Mahuma
Willemstad
Curaçao
Netherlands Antilles
Tel: +599 983 933 33
Fax: +599 986 926 99
Email: adania@meteo.an; cur-met@meteo.an

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

New Caledonia

1. Contact information

Luc Maitrepierre
 Head of Climate Division
 Météo-France, BP 151 – 98845 Nouméa Cedex
 New Caledonia

2. Official name of Indices and Definitions

- Southern Oscillation Index (SOI)
- Multivariate ENSO (El Niño-Southern Oscillation) index (MEI)
- Bivariate EnSo Timeseries (BEST)
- SST anomalies (Niño3, Niño4, Niño3.4)

3. Other Countries or territories with shared indices and definitions

Pacific Islands Countries, Australia and New Zealand.

4. Index (indices) in use operationally

The following indices are considered in analyzing the ENSO phase:

- Southern Oscillation Index (SOI) - Mean Sea Level Pressure difference between Tahiti and Darwin.
- Multivariate ENSO index (MEI) - A weighted average of the main ENSO features contained in six variables: sea-level pressure, the east-west and north-south components of the surface wind, SST, surface air temperature, and total amount of cloudiness.
- Bivariate EnSo Timeseries (BEST) - SST in Niño3.4 plus the opposite of the SOI.
- SST anomalies (Niño3, Niño4, Niño3.4)

5. Definition of El Niño in use operationally

New Caledonia uses the ICU (Island Climate Update) monthly teleconference organized by the NIWA (New Zealand) with regional experts from Australia, New Caledonia, Fiji, French Polynesia, Hawaiï, IRI, and others, to determine a consensus of the observed and predicted ENSO phase. This expert discussion provides a regional consensus for a “one-voice message” to the media and public, as well as a response to the moving values of SST indices related to global warming that could lead to incorrect ENSO phase classifications that have strict thresholds.

New Caledonia encourages other countries to participate in regional discussions as impacts can pose a need to classify ENSO phases, and impacts can be very different from one region to another.

6. Definition of La Niña in use operationally

See Section 5 above.

New Zealand

1. Contact information

Dr David Wratt
 Centre Leader, National Climate Centre
 NIWA, Private Bag 14-901
 Wellington, New Zealand

2. Official name of Indices and Definitions

As described in Section 6 below we do not have a "formal" definition of El Niño and La Niña for use in our climate update and outlook statements. We seek a regional consensus with countries participating in the monthly "Island Climate Outlook" teleconference, which is based on several indicators.

3. Other Countries or territories with shared indices and definitions

See Section 6 below.

4. Index (indices) in use operationally

See Section 6 below.

5. Definition of El Niño in use operationally

We make a subjective judgment based largely on the value of the Southern Oscillation Index (SOI), but considering other factors such as SST anomalies in the NINO regions, sub-surface anomalies in the equatorial eastern Pacific, and consensus of ENSO model predictions. These factors are discussed during the monthly "Island Climate Update" teleconference (see New Caledonia). We think it highly desirable to have a consensus between the countries involved in this teleconference so we don't confuse people in our region.

For research work (such as analyses of rainfall patterns from past ENSO events) we generally use a definition from Dr. Kevin Trenberth: Periods of at least 6 consecutive months during which the 5-month running mean of the Niño3.4 temperature anomaly exceeds a threshold of $\pm 0.4^{\circ}\text{C}$. However this is an "a posteriori" research definition. For operational "climate outlook" purposes we can't wait until we have 6 months of 5-month running means exceeding the threshold.

6. Definition of La Niña in use operationally

See Section 6 above.

Nicaragua

1. Contact information

Ing. Claudio Gutiérrez Huete
Director General De Meteorología
Instituto Nicaragüense De Estudios Territoriales - INETER
Frente a las Oficinas Centrales de la Policlínica INSSBI
Apartado Postal 2110
Managua
Nicaragua
Tel: +505 2 492756
Fax: +505 2 400040
Email: rhidrico@ibw.com.ni; ineterds@ibw.com.ni

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Panama

1. Contact information

Permanent Representative of Panama with WMO
ETESA
Apartado Postal 5285
Panama 5
Tel: +507 227 77 76
Fax: +507 225 95 16

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Paraguay

1. Contact information

Lic. Miguel Ángel Vázquez
Director de Meteorología e Hidrología y
Permanent Representative of Paraguay to WMO
Dirección Nacional de Aeronáutica Civil
Dirección de Meteorología e Hidrología
Avda. Mcal. López y 22 de Setiembre - 3er. Piso Edif. MDN
Asunción
Paraguay

2. Official name of Indices and Definitions

Indices and definitions frequently used for El Niño and La Niña by WMO Regional Association (RA) III.

3. Countries or territories with shared indices and definitions

Members of Regional Association III.

4. Index (indices) in use operationally

The index most frequently used in RA III refers to the sea surface temperature anomalies in the Niño3.4 region (120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

Three or more consecutive months with mean sea surface temperature anomalies greater than or equal to +0.5°C in the Niño3.4 region (computed with respect to the 1971-2000 period).

6. Definition of La Niña in use operationally

Three or more consecutive months with mean sea surface temperature anomalies less than or equal to -0.5°C in the Niño3.4 region (computed with respect to the 1971-2000 period).

Peru

1. Contact information

Mag. Fap Juan Oviedo Motta
 Permanent Representative of Peru to WMO
 Servicio Nacional de Meteorología e Hidrología del Perú
 Lima
 Perú

2. Official name of Indices and Definitions

Peru uses definitions and indices provided by the US National Oceanic and Atmospheric Administration (NOAA) in real time, and the SCOR WG 55 definition^{*}, which is used by the coastal South America countries that are part of ERFEN (Regional Study of the El Niño Phenomenon).

3. Other Countries or territories with shared indices and definitions

Members of the Permanent Commission for the South Pacific (CPPS), and countries involved in ERFEN.

4. Index (indices) in use operationally

- Sea surface temperature anomalies in the equatorial Pacific (Niño4, Niño3.4, Niño3, and Niño1+2) and at coastal stations;
- Mean and anomalous subsurface temperatures in the equatorial Pacific and along the Peruvian coast;
- Variations in the depth of the 15°C isotherm;
- Longitudinal position of the 27°C and 28°C isotherms in sea surface temperatures;
- Mean and anomalous low-level (below 850 hPa) zonal winds in the equatorial Pacific;
- Pressure systems at 200 hPa near the Peruvian coast and tropical convection;
- Others: OLR (outgoing longwave radiation); SOI (Tahiti-Darwin Southern Oscillation Index); MEI (Multivariate ENSO - El Niño-Southern Oscillation - Index); intensity and configuration of the South Pacific anticyclone and minimum air temperature along the coast; biological indicators of warm and cold waters between 50 and 100 nautical miles from the coast.

5. Definition of El Niño in use operationally

- Positive sea surface temperature anomalies greater than 1°C in the Niño4, Niño3.4 and Niño3 regions and anomalies greater than 2°C in the Niño1+2 region and coastal areas;

^{*} SCOR WG 55 definition (1983): El Niño is the appearance of anomalously warm water along the coast of Ecuador and Peru as far south as Lima (12°S). This means a normalized sea surface temperature (SST) anomaly exceeding one standard deviation for at least four (4) consecutive months. This normalized SST anomaly should occur at least at three (3) of five (5) Peruvian coastal stations.

- Positive subsurface temperature anomalies greater than 2°C in the central and eastern equatorial Pacific, and a depth greater than 100 m of the 15°C isotherm along the Peruvian coast;
- Eastward shift in the longitudinal position of the 27°C and 28°C SST isotherms;
- Madden Julian Oscillation;
- Equatorial westerly (low-level) wind events lasting at least five consecutive days;
- Persistence of positive 200-hPa heights over the central Equatorial Pacific;
- Negative sea level pressure anomalies along the Peruvian coast;
- Increased convective activity over the central and eastern equatorial Pacific;
- Weakening of the South Pacific anticyclone (negative SLP anomalies 5 hPa or more lasting at least 5 days) after an increase in SST in the central equatorial Pacific;
- Persistent shift in the South Pacific Convergence Zone (SPCZ) and biological indicators of warm waters within 50-100 miles of the Peruvian coast.

6. Definition of La Niña in use operationally

With respect to La Niña, the effects of cooling in the equatorial Pacific are not pronounced except for when the negative SST anomalies are less than -2°C in the central equatorial Pacific. The cooling usually manifests itself during winter, and is accompanied by a stronger South Pacific anticyclone, a westward shift in the SPCZ and biological indicators of cold water between 50 and 100 miles from the Peruvian coast.

Philippines

1. Contact information

Bernardo M. Soriano Jr., Ph.D.
Weather Services Chief, AGSSB
Philippines Atmospheric Geophysical and Astronomical Services Administration
Permanent Representative of the Philippines with WMO

2. Official name of Indices and Definitions

Adopted the WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S). Departures from average sea-surface temperatures in this region result in adverse impacts in many areas of the Philippines.

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months. An episode is defined when the threshold is met for a minimum of five consecutive overlapping seasons.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months. An episode is defined when the threshold is met for a minimum of five consecutive overlapping seasons.

Russian Federation

1. Contact information

Dr Alexander I. Bedritsky
Head of Russian Federation federal service for hydrometeorology and environmental monitoring (Roshydromet)
Permanent Representative of the Russian Federation with WMO
Novovagan'kovsky Street, 12
123995, Moscow
Russia
Tel: +7 495 252-38-73, +7 495 252-08-08
Fax: +7 495 255-52-26, +7 495 252-55-04
Email: unmc@mcc.mecom.ru

2. Official name of Indices and Definitions

N/A

3. Other Countries or territories with shared indices and definitions

N/A.

4. Index (indices) in use operationally

Niño3 (5°S-5°N, 150°W-90°W)
Niño3.4 (5°S-5°N, 170°W-120°W)
Niño4 (5°S-5°N, 160°E-150°W)

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature anomaly (for the 1971-2000 base period) in the Niño3 region greater than or equal to +0.5°C, occurring for three or more consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature anomaly (for the 1971-2000 base period) in the Niño3 region less than or equal to -0.5°C, occurring for three or more consecutive months.

Saint Lucia

1. Contact information

Permanent Representative of Saint Lucia with WMO
Meteorological Service
Ministry of Communications, Works, Transports and Public Utilities
Union
Castries
St. Lucia
Tel: +1758 450 1210
Fax: +1758 453 2769
Email: director@slumet.gov.lc

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Singapore

1. Contact information

Mr. Foong Chee Leong
Director-General
Meteorological Services Division
National Environment Agency
Singapore

2. Official name of Indices and Definitions

El Niño & La Niña Indices used by the Association of Southeast Asian Nations (ASEAN) Specialised Meteorological Centre.

3. Other Countries or territories with shared indices and definitions

El Niño Outlook posted on ASEAN Specialised Meteorological Centre (ASMC) intranet for use by regional agencies in ASEAN.

4. Index (indices) in use operationally

ASMC index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S). Departures from average sea surface temperatures in this region would result in the greatest impacts to ASEAN.

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Slovakia

1. Contact information

Dr. Vladimír Pastirčák
Director of Meteorological Service Division
Slovak Hydrometeorological Institute
Jeséniova 17
833 15 Bratislava 37
Slovakia
Email: vladimir.pastircak@shmu.sk

2. Official name of Indices and Definitions

Slovakia does not use any predefined terminology in connection with El Niño and La Niña phenomena.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

N/A

5. Definition of El Niño in use operationally

N/A

6. Definition of La Niña in use operationally

N/A

Sudan

1. Contact information

Mr. M.A. Abdel Gadir
Permanent Representative of Sudan with WMO
Sudan Meteorological Authority
P.O. Box 574
Khartoum
Sudan
Fax: +249183771693
Email: info@ersad.gov.sd or ersad@sudanmail.net.sd

2. Official name of Indices and Definitions

WMO Regional Association I Consensus Index and definitions of El Niño and La Niña

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) I; Greater Horn of Africa countries (Intergovernmental Authority on Development (IGAD) countries).

4. Index (indices) in use operationally

The RAI index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific and the Indian Ocean. There is no fixed area of Niño region yet identified which has an impact on the African Continent, but research is currently being done.

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period). The specific Niño region is not yet identified.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) greater than or equal in magnitude to 0.5°C, averaged over three consecutive months. The specific Niño region is not yet identified.

Sweden

1. Contact information

Gunlög Wennerberg
SMHI
SE-601 76 NORRKÖPING
Sweden
Email: Gunlog.Wennerberg@smhi.se

2. Official name of Indices and Definitions

Sweden has no indices or definitions.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

N/A

5. Definition of El Niño in use operationally

N/A

6. Definition of La Niña in use operationally

N/A

Thailand

1. Contact information

Mr. Suparek Tansriratanawong
Permanent Representative of Thailand with WMO
Director General, Meteorological Department
4353 Sukhumvit Road, Bang Na
Bangkok 10260
Thailand

2. Official name of Indices and Definitions

Indices and Definitions of El Niño and La Niña

3. Other Countries or territories with shared indices and definitions

United States of America, and thus Regional Association IV.

4. Index (indices) in use operationally

The index is defined as three-month averages of sea-surface temperature departures from normal for a critical region of the equatorial Pacific (Niño 3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Trinidad and Tobago

1. Contact information

Mr. Willis Mills
Director, Meteorological Service Division
Permanent Representative of Trinidad and Tobago with WMO
P.O. Box 2141
National Mail Centre
Piarco
Tel: +1868 669 54 65
Fax: +1868 669 40 09
Email: dirmet@tstt.net.tt

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Tunisia

1. Contact information

Mr. Moncef Rajhi
Permanent Representative of Tunisia with WMO
Ministère du Transport
Institut National de la Météorologie
P.O. Box 156, 2035 Tunis - Carthage
Tunisia
Tel: +216 71 773 400
Fax: +216 71 772 609
Email: admin@meteo.tn

2. Official name of Indices and Definitions

Regional Association (RA) I consensus indices and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association I.

4. Index (indices) in use operationally

The indices used operationally in Tunisia are the monthly and seasonal sea surface temperature anomalies in the intertropical Pacific region defined by 75°W-151°W, 19°N-19°S. For this analysis, we use the Extended Reconstructed SST (ERSST) data available through the National Climatic Data Center (NCDC), Asheville, USA.

5. Definition of El Niño in use operationally

Research in statistical forecasting of monthly and seasonal precipitation has shown that El Niño and La Niña have a weak influence on precipitation in Tunisia. For this reason, we limit ourselves to the standards developed by WMO.

6. Definition of La Niña in use operationally

As is the case for El Niño, we limit ourselves to the standards developed by WMO.

Turkey

1. Contact information

Mr. Adnan Ünal
Turkish State Meteorological Service
P.O. Box: 401
Ankara-Turkey
Tel: + 90 - 312 - 359 75 45
Fax: + 90 - 312 - 359 34 30
Email: info@meteor.gov.tr

2. Official name of Indices and Definitions

No indices and definitions used.

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

N/A

5. Definition of El Niño in use operationally

N/A

6. Definition of La Niña in use operationally

N/A

United Kingdom of Great Britain and Northern Ireland

1. Contact information

Sarah Ineson
 Met Office
 FitzRoy Road
 Exeter
 EX1 3PB
 Email: sarah.ineson@metoffice.gov.uk

2. Official name of Indices and Definitions

N/A

3. Other Countries or territories with shared indices and definitions

N/A

4. Index (indices) in use operationally

Niño3 (5°S-5°N, 150°W-90°W)
 Niño3.4 (5°S-5°N, 170°W-120°W)
 Niño4 (5°S-5°N, 160°E-150°W)

The Niño3 index is used for monitoring conditions in the equatorial Pacific Ocean. <http://www.metoffice.gov.uk/research/hadleycentre/obsdata/climateindicators.html>
 Graphical display of forecast trajectories of monthly average tropical Pacific sea surface temperature anomaly is available for regions Niño3, Niño3.4 and Niño4. The coupled GCM forecasts are updated every month and have a 6-month outlook. <http://www.metoffice.gov.uk/research/seasonal/elnino/index.html>

In addition, various indices representing El Niño/La Niña are used as predictors in regional, specific season, statistical forecasts. These are based on EOF analyses of either Pacific or global sea surface temperature on various timescales. Further details can be found at <http://www.metoffice.gov.uk/research/seasonal/regional/index.html>

5. Definition of El Niño in use operationally

The Met Office does not currently use an objective definition of El Niño or La Niña. Because links between El Niño/La Niña and European climate are weak it would be very difficult to define an index threshold that would be suitable or meaningful for the UK region. At present the Met Office prefers to provide information in the form of indices that can be interpreted for local application by forecast users.

6. Definition of La Niña in use operationally

See Section 5 above.

United States of America

1. Contact information

Brigadier General John J. Kelly, Jr., (Ret)
Deputy Undersecretary for Oceans and Atmosphere
Permanent Representative of the US with WMO
United States Department of Commerce
Washington, D.C. 20230
USA
Tel: +202 482 4569
Fax: +202 482 1041
Email: Jack.Kelly@noaa.gov

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Uruguay

1. Contact information

Lic. Raúl Michelini
Permanent Representative of Uruguay to WMO
President of RA III
Dirección Nacional de Meteorología
Javier Barrios Amorín 1488
Montevideo - CP 11300
Uruguay
Email: dtornalmet@adinet.com.uy
Email: dnm25255@adinet.com.uy

2. Official name of Indices and Definitions

Definitions and indices frequently used to describe El Niño and La Niña in WMO Regional Association (RA) III.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association III.

4. Index (indices) in use operationally

The index within RA III that is most frequently used refers to the sea surface temperature (SST) anomalies in Niño 3.4 (120°W-170°W, 5°N-5°S).

5. Definition of El Niño in use operationally

Three or more consecutive months with mean SST anomalies in Niño 3.4 greater than or equal to +0.5C (anomalies computed with respect to the 1971-2000 period).

6. Definition of La Niña in use operationally

Three or more consecutive months with mean SST anomalies in Niño 3.4 less than or equal to -0.5C (anomalies computed with respect to the 1971-2000 period).

Venezuela

1. Contact information

Coronel (Aviación) Ramón Jesús Viñas García
Permanent Representative of Venezuela with WMO
Servicio de Meteorología de la Aviación
Av. Bolívar Este N° 75 Edif. El Prado
Base Logística Aragua
Apto. De Correo 2197
Maracay Z.O. 2101-A
Tel: +58 243 237 82 97
Fax: +58 243 237 80 43
Email: semetfav@cantv.net

2. Official name of Indices and Definitions

WMO Regional Association IV Consensus Index and definitions of El Niño and La Niña, and the Niño3 index.

3. Other Countries or territories with shared indices and definitions

Members of Regional Association (RA) IV, Ecuador, Peru, Columbia, Chile and Bolivia.

4. Index (indices) in use operationally

The RA IV index is defined as three-month averages of sea surface temperature departures from normal for a critical region of the equatorial Pacific (Niño3.4 region; 120°W-170°W, 5°N-5°S). Additionally, Venezuela considers sea surface temperature anomalies in the Niño3 region (90°W-150°W, 5°N-5°S).

5. Definition of El Niño in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a positive sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

6. Definition of La Niña in use operationally

A phenomenon in the equatorial Pacific Ocean characterized by a negative sea surface temperature departure from normal (for the 1971-2000 base period) in the Niño3.4 region greater than or equal in magnitude to 0.5°C, averaged over three consecutive months.

Acknowledgments

The WMO Expert Team on El Niño/La Niña Definitions (2005) is particularly grateful to Thomas Peterson, NOAA, National Climatic Data Center, for his support on this project.

The Team also expresses thanks to Dr Vernon Kousky, NOAA, National Weather Service Climate Prediction Center, who translated from Spanish into English for the Team Chair.


Appendix I Team Members

Team Member	E-mail	Country	Address
Aceituno, Patricio	aceituno@dgf.uchile.cl	Chile	Department of Geophysics. Universidad de Chile Blanco Encalada 2002, Santiago - Chile Tel: 56 2 696 8790 Fax: 56 2 696 8686
Ando, Mr. Tadashi	t_ando@met.kishou.go.jp	Japan	Climate Prediction Division Climate and Marine Department Japan Meteorological Agency
Garanganga, Brad	garangan@dmc.co.zw	Zimbabwe	Acting Coordinator SADC Drought Monitoring Centre P.O. Box BE 150 Belvedere Harare Tel: 263 4 778172 / 778236 Fax: 263 4 778172 Email: garangan@dmc.co.zw
Dr. D. Yu. Gushchina	gushchina@geogr.msu.su	Russia	Lomonosov Moscow State University GSP-2, Leninskie Gory, Moscow, 119992 Russian Federation Tel/Fax: (095)939 29 42
Horsfall, Fiona (Chair)	Fiona.Horsfall@noaa.gov	USA	W/OS4, 1325 East West Hwy, Silver Spring, MD 20910 USA Tel: +1301 713 1970x137 Fax: +1301 713 1520 Climate Change Science Program 1717 Pennsylvania Avenue, NW Washington, DC 20006 Tel: +1202 419 3466
Maitrepierre, Luc	luc.maitrepierre@meteo.fr	New Caledonia	Météo-France Nouvelle-Calédonie Division Climatologie Tél: (687) 279308 Fax: (687) 279327
Okoola, Raphael	rokoola@uonbi.ac.ke	Kenya	Department of Meteorology University of Nairobi P.O. Box 30197 NAIROBI, Kenya

Rajeevan, M. N.	rajeevan61@yahoo.co.in	India	Director National Climate Centre India Meteorological Department Pune. 411 005. INDIA
Reid, Phillip	P.Reid@bom.gov.au	Australia	Executive and International Affairs Bureau of Meteorology GPO Box 1289K Melbourne, Victoria 3001 Australia Tel: +61 3 9669 4130 Fax: +61 3 9669 4473
Santos, José Luis	jlsantos@espol.edu.ec	Ecuador	Professor Department of Marine Sciences Escuela Superior Politecnica del Litoral Campus Gustavo Galindo Guayaquil, Ecuador Tel: (5934) 2269469 Fax. (5934) 2850663
Schneider, Udo	Udo.Schneider@dwd.de	Germany	Global Precipitation Climatology Centre Deutscher Wetterdienst Dept. Hydrometeorology P.O. Box 100465 63004 Offenbach a.M. Germany Tel: +49 69 8062 2766 Fax: +49 69 8062 3987
Zhai, Panmao	pmzhai@cma.gov.cn	China	Prof. ZHAI, Panmao Dept. of Prediction Services and Disaster Mitigation, China Meteorological Administration, Beijing 100081 China Tel: 86 10 68409421 (O) 86 10 68408176 (H) Fax: 86 10 62175924

WMO			
Nyenzi, Buruhani	BNyenzi@wmo.int	WMO	Director World Climate Programme World Meteorological Organization C.P. 2300, CH-1211 Geneva 2, Switzerland Tel: +41 22 730 8273 Fax: +41 22 730 8042
Malone, Leslie	LMalone@wmo.int	WMO	World Climate Programme World Meteorological Organization C.P. 2300, CH-1211 Geneva 2, Switzerland Tel: +41 22 730 8220 Fax: +41 22 730 8042
Support to Chair			
Perfect, Diana	Diana.Perfect@noaa.gov	NOAA	W/OS4, 1325 East West Hwy, Silver Spring, MD 20910 Tel: +1301 713 1970x132 Fax: +1301 713 1520

Appendix II Niño Regions



Graphical depiction of the four Niño regions.
Image from NOAA, National Weather Service, Climate Prediction Center

Appendix III Selected Resources

Glantz, Michael H., Ed., (2001), *Once Burned, Twice Shy? Lessons Learned from the 1997-98 El Niño*, The United Nations University.

WMO 1992: International Meteorological Vocabulary, WMO No. 182. Geneva, Switzerland.

WMO 1999: The 1997-1997 El Niño Event: A Scientific and Technical Retrospective (a contribution to the United Nations Task Force on El Niño for implementation of United Nations General Assembly Resolutions 52/200 and 53/185). WMO, IOC of UNESCO, UNEP and ICSU, Geneva, Switzerland.

WMO 2003: *Climate: Into the 21st Century*. Cambridge University Press, UK.

Australian Government, Bureau of Meteorology:

- [ENSO Wrap-Up A regular commentary on the El Nino-Southern Oscillation](http://www.bom.gov.au/climate/enso/) (<http://www.bom.gov.au/climate/enso/>)
- [Southern Oscillation Index](http://www.bom.gov.au/climate/current/soi2.shtml) (<http://www.bom.gov.au/climate/current/soi2.shtml>)
- [El Niño - Detailed Australian Analysis](http://www.bom.gov.au/climate/enso/australia_detail.shtml) (http://www.bom.gov.au/climate/enso/australia_detail.shtml)
- [Climate Management Information for Rural Australia](http://www.longpaddock.qld.gov.au/) (<http://www.longpaddock.qld.gov.au/>)

Beijing Climate Center

- <http://bcc.cma.gov.cn/en/>

Centro Internacional par la Investigación del Fenómeno de El Niño (CIIFEN)
(the International Center on the El Niño Phenomenon)

- www.ciifen-int.org

Dirección Meteorológica de Chile

- [El Niño - La Niña \(http://www.meteochile.cl/nino_nina/nino_nina.html\)](http://www.meteochile.cl/nino_nina/nino_nina.html)

International Research Institute for Climate and Society

- [ENSO Information \(http://iri.columbia.edu/climate/ENSO/index.html\)](http://iri.columbia.edu/climate/ENSO/index.html)

Instituto Geofísico del Perú (IGP)

- <http://www.met.igp.gob.pe/>

Met Office, including the Hadley Centre for Climate Prediction and Research,
United Kingdom of Great Britain and Northern Ireland

- <http://www.metoffice.gov.uk/research/hadleycentre/obsdata/climateindicators.html>
- <http://www.metoffice.gov.uk/research/seasonal/elnino/index.html>
- <http://www.metoffice.gov.uk/research/seasonal/regional/index.html>

NOAA, United States of America

- Climate Prediction Center
 - o [El Niño – Southern Oscillation \(http://www.cpc.noaa.gov/products/precip/CWlink/MJO/enso.shtml\)](http://www.cpc.noaa.gov/products/precip/CWlink/MJO/enso.shtml)
- Pacific Marine Environmental Laboratory
 - o [El Niño Theme Page \(http://www.pmel.noaa.gov/tao/elnino/nino-home.html\)](http://www.pmel.noaa.gov/tao/elnino/nino-home.html)
- Earth System Research Laboratory (ESRL)
 - o [El Niño / La Niña Animations \(http://www.cdc.noaa.gov/map/clim/sst_olr/el_nino_anim.shtml\)](http://www.cdc.noaa.gov/map/clim/sst_olr/el_nino_anim.shtml)

Servicio Nacional de Meteorología e Hidrología del Perú

- [El Fenómeno de “El Niño” \(http://www.senamhi.gob.pe/elnino/index.php\)](http://www.senamhi.gob.pe/elnino/index.php)